FIG. 1




FIG. 2

CLASS 1	CLASS 2	:	CLASS K
۸ <sup>1</sup> (X)	$(X)_{(1)}^{2} \wedge (X)^{1} q$	:	$$ $b_1(X) b_2(X) b_{K-1}(X) v_K^{(1)}(X)$
	$b_1(X) v_2^{(2)}(X)$	:	$b_1(X) b_2(X) \cdots b_{K-1}(X) v_K^{(2)}(X)$
	• • •		• •
	$b_1(X) v_2^{(J)}(X)$	:	$  b_1(X) b_2(X) \cdots b_{K-1}(X) \vee_K^{(J)}(X)$

FIG. 3

CLASS 1	CLASS 2	•••	CLASS K-2	CLASS K-1	CLASS K
b <sub>1</sub> <sup>(1)</sup>	b <sub>2</sub> (1)X	•••	$b_{K-2}^{(1)} X^{K-3}$	$b_{K-1} X^{K-2}$	$b_K X^{K-1}$
b <sub>1</sub> <sup>(2)</sup>	b <sub>(2)</sub> X	•••	$b_{K-2}^{(2)} X^{K-3}$		
:	:	-	:		
b <sub>1</sub> (J)	p <sup>5</sup> (7)X	•••	$b_{K-2}^{(J)} X^{K-3}$		

FIG. 4




FIG. 5

